
















DRAWING TITLE	DRAWN BY	DATE	NO.
LIST OF WINDOWS AND DOORS	VEDAT DEMIRKIRAN	05.2024	1

SYMBOL	SCHEME	DIMENSIONS	ORIENTATION	DESCRIPTION	PCS
		2500x1500	RIGHT	FRENCH WINDOW -DOUBLE WING, ONE TILTING AND TURNING -THE OTHER SIDE FIXED -TRIPLE GLAZED GLASS -FRAME MULTI-LAYER PRISM, SPRUCE WOOD -EXTERIOR ALUMINUM WINDOW -U = 0.8 W/m2K	30
		1250x1500	RIGHT	FRENCH WINDOW -SINGLE WING, TILTING AND TURNING -TRIPLE GLAZED GLASS -FRAME MULTI-LAYER PRISM, SPRUCE WOOD -EXTERIOR ALUMINUM COVERING -U = 0.8 W/m2K	10
		800x1970	RIGHT	INTERIOR WOODEN DOORS -SINGLE WING, ROTATING -SANDWICH BOARD -COVERED WOOD FRAME -SPRUCE WOOD -WITH THRESHOLD	13
		800x1970	LEFT	INTERIOR WOODEN DOORS -SINGLE WING, ROTATING -SANDWICH BOARD -COVERED WOOD FRAME -SPRUCE WOOD -WITH THRESHOLD	11
		700x1970	RIGHT	INTERIOR WOODEN DOORS -SINGLE WING, ROTATING -SANDWICH BOARD -COVERED WOOD FRAME -SPRUCE WOOD -WITH THRESHOLD	14

DRAWING TITLE	DRAWN BY	DATE	NO.
LIST OF WINDOWS AND DOORS	VEDAT DEMIRKIRAN	05.2024	2

SYMBOL	SCHEME	DIMENSIONS	ORIENTATION	DESCRIPTION	PCS
DL 02		700x1970	LEFT	INTERIOR WOODEN DOORS -SINGLE WING, ROTATING -SANDWICH BOARD -COVERED WOOD FRAME -SPRUCE WOOD -WITH THRESHOLD	8
DR 03		900x1970	LEFT	INTERIOR WOODEN DOORS -SINGLE WING, ROTATING -SANDWICH BOARD -COVERED WOOD FRAME -SPRUCE WOOD -WITH THRESHOLD	6
DR 03		900x1970	RIGHT	INTERIOR WOODEN DOORS -SINGLE WING, ROTATING -SANDWICH BOARD -COVERED WOOD FRAME -SPRUCE WOOD -WITH THRESHOLD	3
DR 04		1250x1970	RIGHT	INTERIOR SLIDING WOODEN DOOR -WITH THRESHOLD -COVERED WOOD FRAME -SPRUCE WOOD -BYPASS SLIDING COVER	2
DL-DR 05		800x2320	RIGHT-LEFT	FRENCH WINDOW -SINGLE WING, -TRIPLE GLAZED GLASS -FRAME MULTI-LAYER PRISM, SPRUCE WOOD -EXTERIOR ALUMINUM COVERING -WOOD-ALUMINUM WINDOW -U = 0.8 W/m2K	3

DRAWING TITLE	DRAWN BY	DATE	NO.
LIST OF WINDOWS AND DOORS	VEDAT DEMIRKIRAN	05.2024	3

SYMBOL	SCHEME	DIMENSIONS	ORIENTATION	DESCRIPTION	PCS
G1		5000x2450	-	EXTERIOR SECTIONAL GARAGE DOOR WITH ELECTRIC MOTOR - SANDWICHES TH. 40 MM WITH ALUMINUM SHEATH AND POLYURETHANE CORE - DOORHAN GARAGE DOORS - U=1,2 W/(m2K)	1
G2		2200x2100	-	INTERIOR SECTIONAL GARAGE DOOR WITH ELECTRIC MOTOR - SANDWICHES TH. 40 MM WITH ALUMINUM SHEATH AND POLYURETHANE CORE - DOORHAN GARAGE DOORS	9
DL-DR 06		800x2190	RIGHT-LEFT	FRENCH WINDOW -SINGLE WING, -TRIPLE GLAZED GLASS -FRAME MULTI-LAYER PRISM, SPRUCE WOOD -EXTERIOR ALUMINUM COVERING -WOOD-ALUMINUM WINDOW -U = 0.8 W/m2K	3
DL 07		800x2020	LEFT	FRENCH WINDOW -SINGLE WING, -TRIPLE GLAZED GLASS -FRAME MULTI-LAYER PRISM, SPRUCE WOOD -EXTERIOR ALUMINUM COVERING -WOOD-ALUMINUM WINDOW -U = 0.8 W/m2K	1
DL-DR 08		800x2130	LEFT	FRENCH WINDOW -SINGLE WING, -TRIPLE GLAZED GLASS -FRAME MULTI-LAYER PRISM, SPRUCE WOOD -EXTERIOR ALUMINUM COVERING -WOOD-ALUMINUM WINDOW -U = 0.8 W/m2K	1