


LEGEND OF MATERIALS


- GRAVEL, VARIOUS FRACTIONS
- BRICK BLOCK HELUZ, TH. 250MM ACUSTIC
- WIRE-CONCRETE C25/30
- REINFORCEMENT CONCRETE 25/30
- SOIL
- ORIGINAL SOIL
- EXPANDED POLYSTEREN, ISOEVER EPS PERIMETR
- EXPANDED POLYSTEREN ISOVER (VARIOUS TYPES)
- COMPACT FOAM
- GALVANIZED STEEL
- HARD WOOD BANGKIRAI, REAL DECK LATHS 25X145mm
- HARD WOOD BANGKIRAI, REAL DECK LATHS 25X145mm

NOTES:

- HYDRO-INSULATION AGAINST GROUND WATER IS PROVIDED BY WATERPROOF REINFORCEMENT CONCRETE C25/30, XC3, XD2, XF3, XA1
- CONCRETE BOUNDARY STONE 50X150mm AND ITS FOUNDATION 100x150mm



0.000 = 324,95 m n.m. / COORDINATE SYSTEM S-JTSK

DESIGNED BY	SUPERVISOR	 <div>VUT BRNO FACULTY OF CIVIL ENGINEERING VEVERÍ 331/95 602 00 Brno</div>	
Bc. DANIEL NIESNER	Doc. Ing. Jiří Sedlák		
MASTER'S THESIS ENERGY PASSIVE BLOCK OF APARTMENTS		FORMAT	6 x A4
		DATE	01/2014
?D.1.1-12 - SECTIONAL ELEVATION B-B'		ST. SKUPINA	CA2NPS1
		MĚŘÍTKO	1:50