

Seznam : D:\G E U S_súbory\Lydia

1 Polárni metoda =====

ČÍSLO BODU DĚLKA VÝŠ.CÍL VOD.ÚHEL ZENIT DOM. P.KOL

ST: 4200005001 výš.stroje: 0.00

1: 4200005002 0.00 2 0.00 0.0000 100.0000
 2: 4200005002 31.94 2 0.25 0.0006 103.4418
 3: 4200005003 42.47 2 0.25 227.3662 100.5406

Orientace: Rozdíl délek: Mezní: Rozdíl výšek:

1: 4200005002 264.9420 neměřeno 0.19 neměřeno
 2: 4200005002 264.9414 0.00 0.27 1.60
 3: 4200005003 264.9402 0.00 0.27 1.58

Výsledná orientace : 264.9411

Stř.chyba orientace = 0.0009 Mez.stř.chyba = 0.0800

Zavedené zkreslení délek: 1.000000000000

-- PODROBNÉ BODY -----

4200000001 41.59 2 0.00 290.2636 57.8868
 4200000002 34.53 2 0.00 292.7030 65.9714
 4200000003 38.41 2 0.00 295.4940 69.7772
 4200000004 35.97 2 0.00 284.0196 67.6244
 4200000005 33.68 2 0.00 329.0712 76.1054
 4200000006 33.66 2 0.00 328.8838 76.5246
 4200000007 32.91 2 0.00 309.3902 75.7000
 4200000008 34.20 2 0.00 295.3732 76.8136
 4200000009 32.91 2 0.00 289.3016 74.2662
 4200000010 33.78 2 0.00 289.2958 70.6626

4200000011	34.03	2	0.00	288.7866	70.2138
4200000012	34.22	2	0.00	287.5274	70.5368
4200000013	33.21	2	0.00	287.5298	74.5558
4200000014	33.59	2	0.00	287.5286	74.4852
4200000015	34.31	2	0.00	287.5290	71.6218
4200000016	34.43	2	0.00	288.5058	70.5202
4200000017	34.23	2	0.00	289.1940	70.5640
4200005013	17.38	2	0.50	278.8854	101.0664
4200005014	30.51	2	0.25	13.3228	103.4182

1 Polárni metoda =====

ČÍSLO BODU	DÉLKA	VÝŠ.CÍL	VOD.ÚHEL	ZENIT	DOM. P.KOL
------------	-------	---------	----------	-------	------------

ST: 4200005013 výš.stroje: 1.55

1:	4200005001	0.00	2	0.00	0.0000	100.0000
2:	4200005001	30.48	2	0.25	0.0000	102.0952
3:	4200005003	72.59	2	0.25	8.1996	100.0242

Orientace: Rozdíl délek: Mezní: Rozdíl výšek:

1:	4200005001	78.2421	neměřeno	0.19	neměřeno
2:	4200005001	78.2421	0.00	0.27	0.01
3:	4200005003	78.2364	-0.08	0.29	0.01

Výsledná orientace : 78.2390

Stř.chyba orientace = 0.0027 Mez.stř.chyba = 0.0800

Zavedené zkreslení délek: 1.000000000000

-- PODROBNÉ BODY -----

4200000019	42.69	2	0.00	70.5960	91.4446
4200000020	41.37	2	0.00	69.5626	89.1314

4200000021	33.10	2	0.00	61.3362	85.9392
4200000022	52.77	2	0.00	37.1052	83.8484
4200000023	53.37	2	0.00	37.1244	81.4370
4200000024	53.19	2	0.00	37.3826	80.8950
4200000025	52.93	2	0.00	37.6088	80.8224
4200000026	51.97	2	0.00	37.8488	83.5490
4200000027	52.52	2	0.00	37.8484	81.1344
4200000028	53.03	2	0.00	37.4466	83.5948
4200000029	53.52	2	0.00	37.4554	81.5902
4200000030	53.39	2	0.00	37.7258	81.0070

1 Polárni metoda =====

ČÍSLO BODU	DÉLKA	VÝŠ.ČÍL	VOD.ÚHEL	ZENIT	DOM. P.KOL
------------	-------	---------	----------	-------	------------

ST: 420000 5001 výš.stroje: 1.55

1:	4200005003	0.00	2	0.00	0.0000	100.0000
2:	4200005003	42.49	2	0.25	0.0000	100.4930
3:	4200005002	31.94	2	0.25	172.6274	103.3782

Orientace: Rozdíl délek: Mezní: Rozdíl výšek:

1:	4200005003	92.3064	neměřeno	0.19	neměřeno
2:	4200005003	92.3064	-0.02	0.27	0.00
3:	4200005002	92.3146	0.00	0.27	0.02

Výsledná orientace : 92.3087

Stř.chyba orientace = 0.0043 Mez.stř.chyba = 0.0800

Zavedené zkreslení délek: 1.000000000000

-- PODROBNÉ BODY -----

4200005032	30.51	2	0.25	185.9334	103.3478
------------	-------	---	------	----------	----------

4200005031	17.38	2	0.50	51.5174	100.9474
4200000031	33.69	2	0.00	101.6862	76.0516
4200000032	33.67	2	0.00	101.5206	76.4710
4200000033	32.82	2	0.00	84.2952	75.6548
4200000034	34.22	2	0.00	68.0070	76.7502
4200000035	41.62	2	0.00	62.8786	57.8542
4200000036	34.55	2	0.00	65.3378	65.9232
4200000037	38.43	2	0.00	68.1192	69.7290
4200000038	35.98	2	0.00	56.6468	67.6054
4200000039	27.28	2	0.00	72.3782	84.0134
4200000040	26.69	2	0.00	95.8962	83.6268
4200000041	27.45	2	0.00	97.2884	84.1468
4200000042	29.41	2	0.00	110.6920	85.1416

1 Polárny metoda =====

ČÍSLO BODU DÉLKA VÝŠ.ČÍL VOD.ÚHEL ZENIT DOM. P.KOL

ST: 4200005013 výš.stroje: 1.44

1:	4200005001	0.00	2	0.00	0.0000	100.0000
2:	4200005001	17.49	2	0.25	0.0010	107.2090
3:	4200005002	41.09	2	0.25	347.3804	103.6784

Orientace: Rozdíl délek: Mezní: Rozdíl výšek:

1:	4200005001	343.8261	neměřeno	0.19	neměřeno
2:	4200005001	343.8251	0.00	0.25	-0.01
3:	4200005002	343.8177	-0.03	0.27	0.01

Výsledná orientace : 343.8213

Stř.chyba orientace = 0.0038 Mez.stř.chyba = 0.0800

Zavedené zkreslení délek: 1.000000000000

-- PODROBNÉ BODY -----

4200000043	12.12	2	0.00	240.7830	73.4820
4200000044	11.80	2	0.00	240.8994	77.4434
4200000045	11.93	2	0.00	238.4954	75.7082
4200000046	11.96	2	0.00	243.5922	75.7108
4200000047	12.40	2	0.00	240.9792	74.2908
4200000048	12.27	2	0.00	243.0280	76.1008
4200000049	12.30	2	0.00	238.9230	75.6026
4200000050	12.81	2	0.00	227.9464	68.2150
4200000051	11.91	2	0.00	227.9414	77.7170
4200000052	16.06	2	0.00	232.4866	61.2218
4200000053	19.40	2	0.00	232.9542	59.9040

1 Polární metoda =====

ČÍSLO BODU DÉLKA VÝŠ.CÍL VOD.ÚHEL ZENIT DOM. P.KOL

ST: 4200005004 výš.stroje: 1.66

1:	4200005005	0.00	2	0.00	0.0000	100.0000
2:	4200005005	31.54	2	0.25	399.9998	102.4642
3:	4200005003	26.02	2	0.25	186.5036	104.4570

Orientace: Rozdíl délek: Mezní: Rozdíl výšek:

1:	4200005005	228.5053	neměřeno	0.19	neměřeno
2:	4200005005	228.5055	0.01	0.27	-0.00
3:	4200005003	228.5451	0.01	0.26	-0.00

Výsledná orientace : 228.5170

Stř.chyba orientace = 0.0214 Mez.stř.chyba = 0.0800

Zavedené zkreslení délek: 1.000000000000

-- PODROBNÉ BODY -----

4200005015 22.47 2 0.25 51.6972 103.0222

4200005016 30.34 2 0.25 51.9246 101.8722

4200005017 25.19 2 1.39 8.9908 99.1326

1 Polární metoda =====

ČÍSLO BODU DÉLKA VÝŠ.ČÍL VOD.ÚHEL ZENIT DOM. P.KOL

ST: 4200005015 výš.stroje: 1.64

1: 4200005016 0.00 2 0.00 0.0000 100.0000

2: 4200005016 8.01 2 0.00 399.9978 111.7238

3: 4200005004 22.50 2 0.50 199.1152 104.1890

Orientace: Rozdíl délek: Mezní: Rozdíl výšek:

1: 4200005016 281.0891 neměřeno 0.19 neměřeno

2: 4200005016 281.0913 0.01 0.22 0.00

3: 4200005004 281.0990 -0.01 0.26 -0.00

Výsledná orientace : 281.0953

Stř.chyba orientace = 0.0041 Mez.stř.chyba = 0.0800

Zavedené zkreslení délek: 1.000000000000

-- PODROBNÉ BODY -----

4200000054 16.84 2 0.00 8.5718 82.3430

4200000055 16.75 2 0.00 8.2728 81.0714

4200000056 16.56 2 0.00 386.5652 82.0822

4200000057 16.64 2 0.00 386.8340 80.7742

4200000058 14.12 2 0.00 385.3574 77.1514

4200000059 13.93 2 0.00 12.2566 77.5986

4200000060	10.01	2	0.00	368.9190	67.0916
4200000061	10.17	2	0.00	26.4672	67.8716
4200000062	8.63	2	1.36	370.2146	101.5990
4200000063	8.77	2	1.36	26.0086	101.4254
4200000064	5.29	2	1.36	248.1786	103.5150
4200000065	5.50	2	2.80	151.0228	86.5544
4200000066	5.50	2	2.80	151.0302	86.5550
4200000067	5.41	2	0.00	248.8930	86.9366
4200000068	5.50	2	0.00	151.2102	86.5820
4200000069	4.19	2	0.00	318.3414	82.4930
4200000070	4.10	2	0.00	80.4748	81.9370
4200000071	4.26	2	0.00	187.9148	124.9990
4200000072	4.21	2	0.00	210.2436	125.4822
4200000073	5.15	2	0.00	206.9990	120.2040
4200000074	5.18	2	0.00	192.1910	120.1472

1 Polárny metoda =====

ČÍSLO BODU DÉLKA VÝŠ.ČÍL VOD.ÚHEL ZENIT DOM. P.KOL

ST: 4200005015 výš.stroje: 1.63

1: 4200005016 0.00 2 0.00 0.0000 100.0000

Orientace: Rozdíl délek: Mezní: Rozdíl výšek:

1: 4200005016 281.0891 neměřeno 0.19 neměřeno

Výsledná orientace : 281.0891

Stř.chyba orientace = 0.0000 Mez.stř.chyba = 0.0800

Zavedené zkreslení délek: 1.000000000000

-- PODROBNÉ BODY -----

4200000075	8.71	2	0.00	382.9824	76.6328
4200000076	8.84	2	0.00	14.5722	77.4014
4200000077	9.30	2	0.00	399.0144	65.6414
4200000078	9.89	2	0.00	399.0144	67.9224
4200000079	9.27	2	0.00	383.9400	79.1350
4200000080	9.44	2	0.00	13.0616	78.3200

1 Polárni metoda =====

ČÍSLO BODU DĚLKA VÝŠ.ČÍL VOD.ÚHEL ZENIT DOM. P.KOL

ST: 4200005016 výš.stroje: 1.47

1:	4200005004	0.00	2	0.00	0.0000	100.0000
2:	4200005004	30.36	2	0.50	0.0022	103.1186
3:	4200005015	7.98	2	0.25	0.6916	111.2220

Orientace: Rozdíl délek: Mezní: Rozdíl výšek:

1:	4200005004	80.4416	neměřeno	0.19	neměřeno
2:	4200005004	80.4394	0.00	0.26	-0.00
3:	4200005015	80.3975	0.03	0.22	0.01

Výsledná orientace : 80.4355

Stř.chyba orientace = 0.0146 Mez.stř.chyba = 0.0800

Zavedené zkreslení délek: 1.000000000000

-- PODROBNÉ BODY -----

4200000081	8.29	2	0.00	174.9810	108.7134
4200000082	6.56	2	0.00	169.0380	111.0570
4200000083	4.12	2	0.00	148.3158	121.0632
4200000084	2.59	2	0.00	99.3784	138.3752
4200000085	2.30	2	0.00	299.5956	144.0442

4200000086	4.18	2	0.00	243.8174	120.0418
4200000087	8.42	2	1.20	216.8788	99.4968
4200000088	6.54	2	1.20	223.7616	99.4296
4200000089	6.74	2	1.20	223.8650	86.3506
4200000090	5.69	2	1.20	230.2462	83.9402
4200000091	4.33	2	1.20	330.3742	77.8914
4200000092	4.94	2	1.20	344.4992	81.2662
4200000093	6.87	2	1.20	363.1558	86.2980
4200000094	7.79	2	1.20	367.7938	87.7458
4200000095	7.96	2	1.20	34.0674	87.5174
4200000096	7.17	2	1.20	38.5382	86.1148
4200000097	5.45	2	1.20	55.7220	81.7986
4200000098	4.87	2	1.20	67.5986	79.4714
4200000099	13.27	2	1.20	382.1832	76.0722
4200000100	13.32	2	1.20	20.0072	76.2414
4200000101	8.20	2	1.20	42.7874	59.9814

1 Polárni metoda =====

ČÍSLO BODU DĚLKA VÝŠ.CÍL VOD.ÚHEL ZENIT DOM. P.KOL

ST: 4200005017 výš.stroje: 1.45

1: 4200005004 0.00 2 0.00 0.0000 100.0000

2: 4200005004 25.21 2 1.39 0.0000 101.6526

3: 4200005005 7.47 2 1.39 159.6098 103.9862

Orientace: Rozdíl délek: Mezní: Rozdíl výšek:

1: 4200005004 37.5078 neměřeno 0.19 neměřeno

2: 4200005004 37.5078 -0.01 0.26 -0.02

3: 4200005005 37.4465 0.03 0.22 -0.02

Výsledná orientace : 37.4998

Stř.chyba orientace = 0.0220 Mez.stř.chyba = 0.0800

Zavedené zkreslení délek: 1.000000000000

-- PODROBNÉ BODY -----

4200000102 20.62 2 0.00 267.3066 89.7032

4200000103 13.70 2 0.00 285.0404 84.2168

4200000104 15.93 2 0.00 293.2928 79.6624

4200000105 12.24 2 0.00 356.8890 73.6852

4200000106 12.62 2 0.00 318.5428 74.2826